

Annexure – A

Indian Red Cross Society
National Headquarters
Blood Bank

List of following items and schedule of supply for the year 2017 – 2018.

Sl. No.	Name of Items	Quantity required	Supply in Installment	Specifications
1.	Malaria Kits	40,000 Test	08	Detect both for Pan/PF Detective of Malaria Parasite (Antigen) all 4 plasmodium parasite i.e. PF –P. Virax and P Falciparum, P. Ovale & P. Malaria. The accessories needed for conducting the test
2	HIV Kits	400 kits	04	3rd Gen and NIB/Narri / NICD Approved Kit (each batch)
3	HCV Kits	400 kits	04	3 rd Gen and NIB/Narri / NICD Approved Kit (each batch)
4	HBs Ag Kits	400 kits	04	NIB/Narri/NICD Approved (each batch)
5	Band Aid	50,000 nos.	05	Strips Regular (Medicated)
6	Filter Paper	20 Rim	02	% Cotton Fibre:100, with good absorbance, Rim of 500 sheet
7	Micro Tips	4,00,000 nos.	08	Capacity 5 –100ul colour white
8	Vacationer	40,000 nos. Plain 4 ml	04	4 MI Plain and 4 ml EDTA PET vial with polymer gel/silica clot activator, 13x 100 mm plus tube with heamoguard closure
9	Vacationer	40,000 nos. EDTA 4 ml	04	-do -
10	Micro Slide	20,000 Pkts.	01	Good quality glass, uniform thickness and ground edges, Constantly clean, highly strong. Accurate Shape & Size 75mm x 25mm x 1.35mm pkt. of 50
11	Anti Sera	A=300,B=300,D=200, Blend=50 AB=50,H=20,A1lactin=10, Combs=10 Bovine Serum Albumin=10 nos.	03	Conforming to Quality Control Standards for Anti. Anti Sera should have the titer above 1:256, Monoclonal -10ml/5ml
12	Garbage Bag	Black, Blue, Yellow= 50 Kg Each	01	Black, blue, Yellow Size 18"x24" Minimum weight 35 gm
13	Alcohol Swab	1,00,000 nos.	20	Single Pack Saturated with 70% isopropyl alcohol, ISO13485/ISO9001/FDA/CE, sterile, and strong absorbent.

14	Temper Proof Bag (Red)	1000 nos.	01	Red bag with thick quality
15	Tissue Roll	600 nos.	01	Virgin pulp or recycled, sustained quality, strong absorbency, good tensile strength, 2 ply, standard roll.
16	Voluntary Donor Forms (English)	60,000 nos. & Hindi = 5000 nos.	01	
17	Issue Voucher Yellow	250 Pad	01	
18	Free Issue Voucher (White)	100 Pad	01	
19	Compatibility Report	200 Pad	01	
20	Replacement Donor Forms (English)	10,000 nos. & 2000 nos. Hindi	01	
21	Cotton Roll	200 nos. (500 gm)	04	500 gm, absorbable, comply with IP and BP standard
22	Distilled Water.	400 Canes	08	5 ltr. Can Ph = 7 ,TDS=less than 50PPM ,Clear, colorless Odorless and tasteless
23	Sodium Hypochlorite	400 Canes	08	5 ltr Can 4%.The solution shall be a clear liquid free from suspended of particulate matter and shall be miscible in all proportions with distilled water, PH value greater than 11 at 20°C
24	Copper Sulphate	50 nos. (500 Gm)	02	500 gm crystal Pack
25	Sodium Chloride	20 nos.	02	500 gm crystal Pack
26	Printer Roll for Elisa Reader	200 nos.	01	
27	Register Printing Different type	76 Nos. (List enclosed)	01	
28	Gloves (Small.M.Large)	800 Nos.	02	Unsterilized, Material good flexibility of Latex, Compliance –CE Mark/ISO,Cuff : Beaded, External Surface-smooth Internal Surface “ with Powder
29	Needle / Lense	(50,000 nos.)	01	Pen 10 nos. along-with lense free Sterile hypodermic needle gauze 26 x ½”
30	VDRL Kits	(40,000 Test)	08	Antigen Kit –RPR Modified Form which contain the carbon particles to improve the Visual reading of the result.
31	Donor Cards	(50,000 nos.)	01	

32	Haemoglobin Cuvettes	(20,000 nos.)	2400 nos. or 2500 nos. in one installment	Should contain reagent in micro cuvettes in dried form, should be based on capillary action, give result within 60 to 90 seconds, FDA or CE approved range between .3 to 30 gm/liter with CV of <4%, 4 Machine free along-with cuvetees.
33	Couch Roll	200 Nos.	04	Size 9" x 160 Mtr. strong absorbency, good tensile strength, 2 ply
34	Plastic Tube 6" long	60 Kg.	01	Size 6" long
35	Denatured Spirit	200 Liter	04	Denatured Spirit 95%
36	Glass Items –Beaker 100 ml.	50 Nos.	01	Borosilicate Glass with either embossed graduations or easy to read printer graduations, wide opening and tapered pour spout. Graduated in millimeters (ml), Chemically
37	Dustbin Plastic	24 nos.	01	1 st number plastic, good quality
38	Test Tube Rack	24 nos.	01	96 hole in plastic / aluminum / steel
39	Badges	5000 nos.	01	One type badge
40	Fruit Juice Drink	250/300ml pack 50,000	20	Minimum 25 % pulp it should having FSSAI Licensing .